Part A Resin

SDS Revised March 2018 Complies with OSHA HCS Standards

Safety Data Sheet (Complies with OSHA HCS)

Section 1: Identification

Product identifier

Other means of identification

Recommended use

Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Company Name:

After hours telephone number

Website Email

Emergency 24 hour telephone

Operation hours information

DX-1100 Series Part A Coating and Lining (All Colors)

DX-1100

Not available

None known

Dynesic Technologies, Inc.

15230 Surveyor Blvd., Addison, TX 75001

Phone: 972-692-0962

Phone: 972-692-0962

www.dynesic.com sphillips@dynesic.com

CHEMTREC: North America 1-800-424-9300

International 1-800-527-3887

7:00 a.m. to 7:00 p.m.

Section 2: Hazard(s) Identification

Physical hazards Health hazards

Environmental hazards OSHA defined hazards **Label elements**

Not classified

Skin corrosion/irritation Eye damage/eye irritation

Not classified Not classified

Category 2 Category 2B

Signal word Hazard statement **Prevention**

Warning

Causes eye irritation. Causes skin irritation.

Wear protective gloves. Wear eye/face protection. Wash

thoroughly after handling.

Response

Specific treatment see Section 4 of this SDS. Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in accordance with local/regional/national regulations.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known

Supplemental information

Not applicable

2

Section 3: Composition/Information on Ingredients

Mixtures		
Chemical name	CAS number	<u>%</u>
BISPHENOL A-(EPICHLORHYDRIN) EPOXY RESIN	25068-38-6	80 - 95
2,3 EPOXYPROPYL NEODECANOATE	26761-45-5	5 - 20
PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER	28064-14-4	5 - 20
* Other components below reportable levels		0.61

Section 4: First Aid Measures

Inhalation Skin contactMove to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.

Eye contact Rinse with water. Continue to rinse for at least 15 minutes. Get medical

attention if irritation persists after washing.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, the head

should be kept low so that stomach vomit doesn't enter the lungs. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5: Fire-Fighting Measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

3.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Section 7: Section 7: Handling And Storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8: Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

No exposure limits noted for ingredient(s)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment Eve/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.

Other Wear suitable protective clothing.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Part A Resin SDS

Complies with OSHA HCS Standards

4.

Section 9: Physical and Chemical Properties

Appearance Not available

Physical state Liquid Form Liquid

Color
Odor
Not available
Melting point/freezing point
Not available

Initial boiling point and boiling range

302 °F (150 °C) estimated 482.0 °F (250.0 °C) estimated

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available

Flammability limit - lower (%)
Flammability limit upper (%)
Explosive limit - lower (%)
Not available
Not available
Not available
Not available

Vapor pressure 0.01 hPa estimated

Vapor density
Relative density
Solubility(ies) Solubility (water)
Not available
Not available

Partition coefficient (n-octanol/water)

Not available Not available Not available Not available

Other information Flammability class

Combustible IIIB estimated

Auto-ignition temperature

Decomposition temperature

Section 10: Stability and Reactivity

Reactivity

Viscosity

Flash point

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization can occur with elevated temperatures.

Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials

This product may react with strong oxidizing agents. This product may react with strong acids. This product may react with strong alkalies, fluoride and peroxides.

Hazardous decomposition products

If product is burned hazardous gases such as oxides of carbon and nitrogen and various hydrocarbons may be produced. Upon combustion, oxides of chlorine may be released.

Complies with OSHA HCS Standards

5.

Section 11: Toxicological Information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard. **Inhalation** Prolonged inhalation may be harmful.

Skin contact Eye contactCauses skin irritation.
Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation. cause temporary irritation.

Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the normal routes of exposure are unavailable.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure
Specific target organ toxicity - repeated exposure
Aspiration hazard

Not classified
Not available

Chronic effects

Prolonged inhalation may be harmful.

Section 12: Ecological Information

Ecotoxicity

Accumulation in aquatic organisms is expected. This product has no known eco-toxicological effects. Not expected to be harmful to aquatic organisms.

Product		Species		Test Results
DX-1100 Se	eries Part	A Coating and L	ining (All	Colors) (CAS Mixture)
Crustacea	EC50	Daphnia		3.3717 mg/l, 48 hours estimated
	Fish	LC50	Fish	1.8732 mg/l. 96 hours estimated

<u>Components Species Test Results</u>

BISPHENOL A-(EPICHLORHYDRIN) EPOXY RESIN (CAS 25068-38-6)

Crustacea EC50 Daphnia magna 2.7 mg/l, 48 hours

Fish LC50 Salmo gairdneri (new name Oncorhynchus mykiss) 1.5 mg/l, 96 hours

6.

PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER (CAS 28064-14-4)

Acute

Fish LC50 Fish 1 - 10 mg/l

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialMobility in soil
No data available
No data available

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13: Disposal Considerations

Disposal instructions

When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14: Transportation Information

DOT Not regulated as dangerous goods. **IATA** Not regulated as dangerous goods.

IMDG

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

Transport hazard class(es)

Class 9
Subsidiary risk Packing Group III

Environmental hazards

Marine pollutant Yes F-A,S-F

Special precautions for user Not available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Part A Resin

SDS

Complies with OSHA HCS Standards

7.

IMDG



Marine pollutant



Section 15: Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. CERCLA/SARA Hazardous Substances - Not applicable

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated CERCLA Hazardous Substance List (40 CFR 302.4) Not listed US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed

SARA 311/312 Hazardous chemical

No

SARA 313 (TRI reporting)

Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

Safe Drinking Water Act (SDWA)

Not regulated

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance ListNot regulated **US. New Jersey Worker and Community Right-to-Know Act**

Not regulated

US. Pennsylvania RTK - Hazardous Substances

Not regulated

Rhode Island RTK US. California Proposition 65 International Inventories Not regulated Not listed

Country(s)	or region/Inventory name On inventory	(yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand New Zealand Inventory		
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16: Other information

Other information, including date of preparation or last revision

Issue date 05/20/2015

Version 01

Revision Date 11/5/2018

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

